
Raritan
A brand of legrand




Mounting Brackets

SECURELY POSITION RACK MOUNTED POWER DISTRIBUTION DEVICES

Raritan Mounting Brackets ease the installation and securing of Raritan power distribution products into racks, IT cabinets, and other structures. Compatible with Raritan rack power distribution units (PDUs), inline meters, rack transfer switches, smart rack controllers, and branch circuit monitoring systems, these Mounting Brackets can be used vertically or horizontally to increase mounting flexibility and solve instrumentation challenges.

Bracket Options Include

- L or Angle Mounting Brackets join two parts at a 90-degree angle, providing more consistent straight corners to support both vertical and horizontal mounting positions
- Hinge Mounting Brackets combine two parts at various adjustable angles/pitches to support vertical and horizontal mounting positions
- Vertical Mounting Brackets are molded into either a Flat, S-shape, or U-shape to support varied vertical mounting positions
- Specialized Mounting Brackets are molded to resolve specific mounting scenarios
- Mounting Buttons enable tool-less installation of PDUs within a rack




Benefits

- Versatile for use in racks, IT cabinets, and other structures
- Bracket options support vertical and horizontal mounting positions
- Constructed of heavy steel to ensure strength and durability
- Meets RoHS Directives material restrictions
- Molded into various shapes to address common mounting and instrumentation challenges
- Designed with functional holes to ease tool-less button mounting and secure screws

L OR ANGLE MOUNTING BRACKETS




250-80-0021-00
Dimensions (WxHxD):
30mm x 210mm x 43.6mm
Model Compatibility: PX3
Extended-width L Bracket with keyhole and small-sized U-shaped holes to mount two 0U PDUs side-by-side.



250-80-0046-00
Dimensions (WxHxD):
25.5mm x 48.8mm x 52.2mm
Model Compatibility: PX3
L Bracket with rounded and small-sized U-shaped holes to mount 0U PDUs with outlets facing inward or outward.

MOST COMMON




250-80-7758-00
Dimensions (WxHxD):
43mm x 95mm x 65mm
Model Compatibility: PX3
Extended-width L Bracket with teardrop and small-sized U-shaped holes to mount two 0U PDUs side-by-side.


MOST COMMON




251-01-0036-00
Dimensions (WxHxD):
30mm x 59mm x 88mm
Model Compatibility: PX3 & PX4
L Bracket with square, teardrop, rounded, and small-sized U-shaped holes to mount 0U PDUs facing the side of a cabinet.




251-01-0039-00
Dimensions (WxHxD):
50mm x 43mm x 50mm
Model Compatibility: PX3
L Bracket with rounded holes to mount 0U PDUs.




251-01-0056-00
Dimensions (WxHxD):
103mm x 38mm x 43.6mm
Model Compatibility: PX3
L Bracket with small-sized and extended-length U-shaped holes to mount 0U PDUs.



251-01-0104-00
Dimensions (WxHxD):
95mm x 75mm x 60mm
Model Compatibility: PX3 & PX4
L Bracket with rounded and extended-length U-shaped holes to mount 0U PDUs.




251-02-0011-00
Dimensions (WxHxD):
53.2mm x 21.3mm x 43.6mm
Model Compatibility: PX3
L Bracket with rounded, small-sized U-shaped and extended-length U-shaped holes to extend the height of a PDU.




251-01-0114-00
Dimensions (WxHxD):
185mm x 52.5mm x 50mm
Model Compatibility: PX3
L Bracket with rounded holes to mount 0U PDUs.


HINGE MOUNTING BRACKETS



251-01-0054-00
Dimensions (WxHxD):
83.2mm x 83.4mm x 53.6mm
Model Compatibility: PX3
Hinge Bracket with squared and extended-length U-shaped holes to mount 0U PDUs.




251-01-0068-00
Dimensions (WxHxD):
108.2mm x 159.5mm x 142.5mm
Model Compatibility: PX3
Hinge Bracket with two hinge joints and teardrop, small-sized U-shaped, and extended-length U-shaped holes to mount 0U PDUs.




251-01-0129-00
Dimensions (WxHxD):
302.9mm x 53.6mm x 31.75mm
Model Compatibility: PX3
Hinge Bracket with small-sized and extended-length U-shaped holes to mount 0U PDUs.


VERTICAL MOUNTING BRACKETS



250-75-0006-00
Dimensions (WxHxD):
81mm x 208mm x 18mm
Model Compatibility: PX3 & PX4
Extended-width S-shaped Vertical Bracket with teardrops and small-sized U-shaped holes to mount two 0U PDUs side-by-side.



250-80-0012-00
Dimensions (WxHxD):
142mm x 14.6mm x 88mm
Model Compatibility: PX3 & PX4
U-shaped Vertical Side-by-Side Bracket with teardrop and rounded holes to mount two 0U PDUs side-by-side.




250-80-0043-00
Dimensions (WxHxD):
3mm x 155mm x 43.6mm
Model Compatibility: PX3
Flat Vertical Bracket with keyhole and rounded holes to mount 0U PDUs.

MOST COMMON




250-80-0049-00
Dimensions (WxHxD):
136.5mm x 65mm x 1.6mm
Model Compatibility: PX3
Flat Vertical Bracket with teardrop and small-sized U-shaped holes to mount 0U PDUs.

MOST COMMON




251-01-0018-00
Dimensions (WxHxD):
81mm x 131.3mm x 35mm
Model Compatibility: PX3
S-shaped Vertical Bracket with teardrop and small-sized U-shaped holes to mount two 0U PDUs side-by-side.

MOST COMMON




251-01-0021-00
Dimensions (WxHxD):
14.7mm x 131.3mm x 81mm
Model Compatibility: PX3
S-shaped Vertical Bracket with teardrop and small-sized U-shaped holes to mount two 0U PDUs side-by-side.

VERTICAL MOUNTING BRACKETS




251-01-0024-00
Dimensions (WxHxD):
406.4mm x 62mm x 81mm
Model Compatibility: PX3 & PX4
U-shaped Vertical Bracket with extended-length U-shaped and rounded holes to mount 0U PDUs.




251-01-0025-00
Dimensions (WxHxD):
64mm x 66mm x 22mm
Model Compatibility: PX3 & PX4
S-shaped Vertical Bracket that occupies 1U of EIA* mounting space with teardrop and small-sized U-shaped holes to mount 0U PDUs.


MOST COMMON




251-01-0026-00
Dimensions (WxHxD):
64mm x 66mm x 22mm
Model Compatibility: PX3 & PX4
S-shaped Vertical Bracket that occupies 1U of EIA* mounting space with teardrop and small-sized U-shaped holes to mount 0U PDUs.



251-01-0028-00
Dimensions (WxHxD):
71.2mm x 34mm x 43.6mm
Model Compatibility: PX3
S-shaped Vertical Bracket with small-sized U-shaped and extended-length U-shaped holes to mount 0U PDUs with outlets facing inward or outward.




251-01-0029-00
Dimensions (WxHxD):
110mm x 15mm x 125.3mm
Model Compatibility: PX3
U-shaped Vertical Side-by-Side Bracket with teardrop and rounded holes to mount two 0U PDUs side-by-side.




251-01-0032-00
Dimensions (WxHxD):
12mm x 142mm x 88mm
Model Compatibility: PX3 & PX4
U-shaped Vertical Side-by-Side Bracket with keyhole and rounded holes to mount two 0U PDUs side-by-side.

MOST COMMON




251-01-0080-00
Dimensions (WxHxD):
114.5mm x 8.8mm x 70mm
Model Compatibility: PX4
Flat Vertical Side-by-Side Bracket with extended-length U-shaped holes and rounded holes to mount 0U PDUs.

MOST COMMON



251-01-0081-00
Dimensions (WxHxD):
186mm x 115mm x 111mm
Model Compatibility: PX3
S-shaped Vertical Bracket with extended-length U-shaped holes and rounded holes to mount 0U PDUs.




251-01-0117-00
Dimensions (WxHxD):
182mm x 45mm x 2mm
Model Compatibility: PX3
Flat Vertical Bracket with extended-length U-shaped holes and rounded holes to mount 0U PDUs.

*Electronic Components Industry Association, EIA Standards Committee


VERTICAL MOUNTING BRACKETS

MOST COMMON




251-01-0119-00
Dimensions (WxHxD):
83mm x 80mm x 8mm
Model Compatibility: PX3
U-shaped Vertical Bracket with rounded holes to mount 0U PDUs.

MOST COMMON




251-01-0125-00
Dimensions (WxHxD):
136.5mm x 65mm x 2mm
Model Compatibility: PX4
Flat Vertical Bracket with extended-length U-shaped and rounded to mount 0U PDUs.

MOST COMMON




251-01-0126-00
Dimensions (WxHxD):
150mm x 65mm x 2mm
Model Compatibility: PX3
Flat Vertical Bracket with extended-length U-shaped and rounded holes to mount 0U PDUs.




251-01-0128-00
Dimensions (WxHxD):
35mm x 3mm x 40mm
Model Compatibility: PX4
Flat Vertical Bracket with a rounded hole and sliding edge to mount 0U PDUs.
Typically used with a Mounting Button.


SPECIALIZED MOUNTING BRACKETS




251-01-0116-00
Dimensions (WxHxD):
159.35mm x 40.8mm x 40.6mm
Model Compatibility: PX3
Specialized Bracket with rounded holes to mount 0U PDUs.




251-01-0086-00
Dimensions (WxHxD):
2mm x 82mm x 100mm
Model Compatibility: PX3
Specialized Bracket with rounded and small-sized U-shaped holes to mount PDUs in Legrand's Minkels Varicon-M cabinets.




A0026-000001-000-1*
Dimensions (WxHxD):
78.31mm x 86.9mm x 9.9mm
Model Compatibility: PX3 & PX4
Specialized Bracket with rounded and small-sized U-shaped holes to mount PDUs in Legrand's Nexpand cabinets.



A0026-000002-000-1*
Dimensions (WxHxD):
153.31mm x 86.9mm x 9.9mm
Model Compatibility: PX3 & PX4
Specialized Bracket with rounded and small-sized U-shaped holes to mount PDUs in Legrand's Nexpand cabinets.



251-02-0023-00
Dimensions (WxHxD):
225mm x 68.7mm x 45.8mm
Model Compatibility: PX3TS
Specialized two-post bracket for mounting shallow Raritan Rack Transfer Switches.




251-02-0070-00
Dimensions (WxHxD):
175mm x 43.6mm x 21.3 mm
Model Compatability: PX3TS
Specialized Bracket for mounting Raritan Rack Transfer Switches.


*Sold in EMEA

MOUNTING BRACKET KITS


G2-RACK-FOR-ZU | Bracket Kit used to mount 0U PDUs. Model Compatibility: PX3.




1 x Flat Vertical Bracket
(250-70-0007-00)
Dimensions (WxHxD):
85.2mm x 43.6mm x 3mm



1 x Plastic Sliding Bracket
(252-67-0029-00)
Dimensions (WxHxD):
52.2mm x 13.2mm x 63.6mm




1 x L Bracket
(250-70-0093-01)
Dimensions (WxHxD):
38mm x 53mm x 43mm




1 x High-Strength Plastic
M5 Button Mount
(250-80-0011-00)


G3-RACK-FOR-ZU | Bracket Kit used to mount 0U PDUs. Model Compatibility: PX3.




1 x Flat Vertical Bracket
(250-70-0007-00)
Dimensions (WxHxD):
85.2mm x 43.6mm x 3mm



1 x Plastic Sliding Bracket
(250-70-0106-00)
Dimensions (WxHxD):
59.2mm x 12.62mm x 43.6mm



1 x L Bracket
(250-70-0093-01)
Dimensions (WxHxD):
38mm x 53mm x 43mm




1 x High-Strength Plastic
M5 Button Mount
(250-80-0011-00)

G4-HOLDER-FOR-ZU

Bracket Kit used to mount 0U PDUs.
Model Compatibility: PX4




2 x M5 Metal Button
Screws
(250-70-0140-00)




2 x Flat Vertical Bracket
(250-70-0141-00)
Dimensions (WxHxD): 35mm x
3mm x 40mm

G4-M4 HOLDER-FOR-ZU

Bracket Kit used to mount 0U PDUs.
Model Compatibility: PX4



2 x M4 Mounting Button
(251-01-0127-00)



2 x Flat Vertical Bracket
(251-01-0128-00)
Dimensions (WxHxD): 35mm x
3mm x 40mm

MOUNTING BRACKET KITS


RACK-FOR-ZU | Bracket Kit used to mount 0U PDUs. Model Compatibility: PX3.




1 x Flat Vertical Bracket
(250-70-0007-00)
Dimensions (WxHxD):
85.2mm x 43.6mm x 3mm




1 x Pin Bracket
(250-80-0009-00)
Dimensions (WxHxD):
43.6mm x 6.6mm x 3.2mm



1 x Holder
(250-80-0008-00)
Dimensions (WxHxD):
61.46mm x 43.6mm x16mm




1 x L Bracket
(250-70-0093-01)
Dimensions (WxHxD):
38mm x 53mm x 43mm



1 x High-Strength Plastic
M5 Button Mount
(250-80-0011-00)

RACK-KIT-DPX-1U

Bracket Kit used to mount 1U PDU in a 19" cabinet.
Model Compatibility: PX3 & PX4




1 x L Bracket
(250-80-0123-00)
Dimensions (WxHxD):
305.48mm x 43.6mm x 21.3mm



1 x Cable Management
Bracket
(250-80-0125-00)
Dimensions (WxHxD):
447.6mm x 12.4mm x 8mm

RACK-KIT-PX-2U

Bracket Kit used to mount 2U PDU in a 19" cabinet.
Model Compatibility: PX3 & PX4



1 x L Bracket
(250-70-3017-00)
Dimensions (WxHxD):
365.23mm x 88.1mm x 21.3mm



1 x Cable Management
Bracket
(250-70-3018-00)
Dimensions (WxHxD):
447.6mm x 12.4mm x 8mm

Part Number	Bracket Type	Dimensions (W x H x D)	Model Compatibility	
			Raritan PX3 Models	Raritan PX4 Models
250-80-0021-00	L Bracket	30mm x 210mm x 43.6mm	√	
250-80-0046-00	L Bracket	25.5mm x 48.8mm x 52.2mm	√	
250-80-7758-00	L Bracket	43mm x 95mm x 65mm	√	
251-01-0036-00	L Bracket	30mm x 59mm x 88mm	√	√
251-01-0039-00	L Bracket	50mm x 43mm x 50mm	√	
251-01-0056-00	L Bracket	103mm x 38mm x 43.6mm	√	
251-01-0104-00	L Bracket	95mm x 75mm x 60mm	√	√
251-02-0011-00	L Bracket	53.2mm x 21.3mm x 43.6mm	√	
251-01-0114-00	L Bracket	185mm x 52.5mm x 50mm	√	
251-01-0054-00	Hinge Bracket	83.2mm x 83.4mm x 53.6mm	√	
251-01-0068-00	Hinge Bracket	108.2mm x 159.5mm x 142.5mm	√	
251-01-0129-00	Hinge Bracket	302.9mm x 53.6mm x 31.75mm	√	
250-75-0006-00	Vertical Bracket	81mm x 208mm x 18mm	√	√
250-80-0012-00	Vertical Bracket	142mm x 14.6mm x 88mm	√	√
250-80-0043-00	Vertical Bracket	3mm x 155mm x 43.6mm	√	
250-80-0049-00	Vertical Bracket	136.5mm x 65mm x 1.6mm	√	
251-01-0018-00	Vertical Bracket	81mm x 131.3mm x 35mm	√	
251-01-0021-00	Vertical Bracket	14.7mm x 131.3mm x 81mm	√	
251-01-0024-00	Vertical Bracket	406.4mm x 62mm x 81mm	√	√
251-01-0025-00	Vertical Bracket	64mm x 66mm x 22mm	√	√
251-01-0026-00	Vertical Bracket	64mm x 66mm x 22mm	√	√
251-01-0028-00	Vertical Bracket	71.2mm x 34mm x 43.6mm	√	
251-01-0029-00	Vertical Bracket	110mm x 15mm x 125.3mm	√	
251-01-0032-00	Vertical Bracket	12mm x 142mm x 88mm	√	√
251-01-0080-00	Vertical Bracket	114.5mm x 8.8mm x 70mm		√
251-01-0081-00	Vertical Bracket	186mm x 115mm x 111mm	√	
251-01-0117-00	Vertical Bracket	82mm x 45mm x 2mm	√	
251-01-0119-00	Vertical Bracket	83mm x 80mm x 8mm	√	
251-01-0125-00	Vertical Bracket	136.5mm x 65mm x 2mm		√
251-01-0126-00	Vertical Bracket	150mm x 65mm x 2mm	√	
251-01-0128-00	Vertical Bracket	35mm x 3mm x 40mm		√

Part Numbers are continued on the next page >>

Part Number	Bracket Type	Dimensions (W x H x D)	Model Compatibility	
			Raritan PX3 Models	Raritan PX4 Models
251-01-0116-00	Specialized Bracket	159.35mm x 40.8mm x 40.6mm	√	
251-01-0086-00	Specialized Bracket	2mm x 82mm x 100mm	√	
A0026-000001-000-1	Specialized Bracket	78.31mm x 86.9mm x 9.9mm	√	√
A0026-000002-000-1	Specialized Bracket	153.31mm x 86.9mm x 9.9mm	√	√
251-02-0023-00	Specialized Bracket	225mm x 68.7mm x 45.8mm	√	
251-02-0070-00	Specialized Bracket	175mm x 43.6mm x 21.3mm	√	
G2-RACK-FOR-ZU	Bracket Kit	Dimensions listed above	√	
G3-RACK-FOR-ZU	Bracket Kit	Dimensions listed above	√	
G4-HOLDER-FOR-ZU	Bracket Kit	Dimensions listed above		√
RACK-FOR-ZU	Bracket Kit	Dimensions listed above	√	
RACK-KIT-DPX-1U	Bracket Kit	Dimensions listed above	√	√
RACK-KIT-PX-2U	Bracket Kit	Dimensions listed above	√	√

Not all part numbers are listed and some are available in select regions.
Please contact a representative for a full portfolio of options.

Packaging Notes: One (1) mounting bracket is included per package unless a Mounting Bracket Kit is purchased where multiple bracket types are included. Bracket assembly screws are included, where necessary. Cage nuts are not included.

To learn more visit

www.raritan.com/mountingbrackets

©2024 Legrand. All rights reserved. The industry-leading brands of Approved Networks, Ortronics, Raritan, Server Technology, and Starline empower Legrand's Data, Power & Control to produce innovative solutions for data centers, building networks, and facility infrastructures. Our division designs, manufactures, and markets world-class products for a more productive and sustainable future. The exceptional reliability of our technologies results from decades of proven performance and a dedication to research and development. V2106